

	x	y	Oct-18	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19	Apr-19	May-19	Jun-19	Jul-19	Aug-19	Sep-19	Raw average	Bias correction (factor 0.962)	Data collection %
DT1 (WA08 Risley Moss)	366949	392004	Tube missing	21.8	Tube missing	26.32	21.41	Tube missing	14.24	10.67	11.32	9.82	27.6	12.44	17.3	16.6	75
DT3 (WA22 Selby Street)	359152	388218	21.86	28.45	30.24	28.49	26.16	17.5	28.22	13.64	13.81	13.7	14.07	18.81	21.25	20.4	100
DT4 (WA23 Selby Street)	359152	388218	21.18	29.38	28.61	29.64	27.37	17.44	29.22	16.03	14.47	13.66	14.6	17.79	21.62	20.8	100
DT5 (WA24 Selby Street)	359152	388218	22.16	29.89	27.74	30.68	28.32	18.18	27.2	16.17	Tube missing	14.43	14.47	19.58	22.62	21.8	92
DT6 (WA111 M6 Manchester Road)	366102	389214	49.9	58.74	45.43	54.03	48.5	38.02	58.82	34.61	41.73	37.38	Erroneos data	41.32	46.2	44.5	92
DT7 (WA123 M62 Radley Lane)	361655	391914	30.96	27.91	Tube missing	39.62	28.88	26.71	25.03	23.4	22.04	20.11	14.66	Tube missing	25.9	24.9	83
DT8 (WA124 M56 Queastybirch)	360233	381994	Tube missing	49.23	39.79	34.61	51.03	34.02	46.89	21.41	27.25	Tube missing	Tube missing	Tube missing	38.0	36.6	67
DT9 (WA20 Parker St)	360044	388048	53.66	54.26	54.89	60.69	52.95	46.95	48.41	43.86	43.58	40.82	34.63	46.32	48.4	46.6	100
DT10 (WA102 Wilson Patten Street)	360309	387848	46.86	45.54	42.16	50.92	43.28	42.06	41.4	36.09	34	34.21	29.11	33.53	39.9	38.4	100
DT12 (WA67 Crosfield Island 2)	359509	388235	Tube missing	42.72	45.14	50.29	44.29	33.82	29.18	29.71	28.25	30.38	27.9	34.21	36.0	34.6	92
DT13 (WA65 Baxter Street 1)	359452	388111	47.74	45.14	44.38	43.37	45.85	Tube missing	Tube missing	27.33	42.05	38.73	40.12	35.41	41.0	39.5	83
DT14 (WA85 Old Liverpool Road 4)	359430	387947	40.57	43.1	43.38	43.3	41	39.41	32.7	25.47	29.48	29.4	29.53	30.58	35.7	34.3	100
DT17 (WA68 Chester Road)	360648	387388	40.51	42.29	41.1	44.04	42.65	37.01	42.8	32.27	30.2	32.08	27.42	31.88	37.0	35.6	100
DT18 (WA72 Chester Road 3)	360513	387048	Tube missing	Missing	Missing	39.92	34.06	Tube missing	27.66	Monitoring ceased					33.9	32.6	25
DT19 (WA87 Chester Road 5)	360407	386237	37.3	38.97	36.54	45.33	39.25	34.58	31.23	28.91	27.16	28.99	22.79	30.56	33.5	32.2	100
DT20 (WA93 Walton Terrace)	360450	386052	36.63	37.95	41.95	44.8	38.3	36.88	26.41	31.56	29.8	31.3	28.28	30.91	34.6	33.3	100

DT21 (WA76 Wilderspool Causeway)	360880	387247	33.43	37.01	39.77	40.4	37.91	35.7	25.8	29.27	25.77	27.7	24.01	30.86	32.3	31.1	100
DT22 (WA118 Wilderspool Causeway 3)	361220	386874	35.84	missing	33.73	46.14	37.75	28.46	34.73	29.15	27.94	26.69	22.6	30.48	32.1	30.9	92
DT23 (WA94 Wilderspool Causeway 2)	361319	386508	37.74	38.28	38.77	37.27	41.53	38.61	27.64	27.98	26.66	28.5	24.07	Tube missing	33.4	32.1	92
DT24 (WA90 Stockton Heath 3)	361470	385981	31.62	31.09	32.96	35.11	36.66	22.72	25.57	23.18	Tube missing	19.28	17.58	25.16	27.4	26.3	92
DT25 (WA77 Knutsford Road 1)	361898	387430	29.91	36.52	38.17	51.51	39.2	28.45	29.06	27.44	24.1	25.14	24.19	Tube missing	32.2	30.9	92
DT26 (WA103 Knutsford Road 2)	361019	387633	31.66	34.64	34.56	40.52	34.23	27.99	28.69	Monitoring ceased					33.2	31.9	58
DT27 (WA92 Kingsway South (Latchford))	362810	387187	34.63	43.52	40.87	39.56	40.44	32.16	42.13	31.2	28.94	29.84	23	30.77	34.8	33.4	100
DT28 (WA105 Latchford Village 2)	362779	387288	40.94	48.35	46.99	42.37	48.14	38.17	38.89	30.29	31.03	33.76	31.39	31.8	38.5	37.0	100
DT29 (WA115 Latchford Village 3)	362604	387222	35.2	42.66	39.72	48.9	39.6	29.5	37.46	29.11	27.16	27.08	20.08	29.91	33.9	32.6	100
DT30 (WA116 Latchford Village 4)	362465	387249	30.5	30.2	34.47	Tube missing	Tube missing	Tube missing	30.07	Monitoring ceased					31.3	30.1	33
DT31 (WA78 Mersey Street)	361005	388145	37.03	44.26	48.61	45.17	44.05	38.05	37.77	36.43	31.29	32.5	30.39	34.62	38.3	36.9	100
DT33 (WA99 James Lee House)	361097	388459	40.48	40.01	Tube missing	45.36	37.18	Tube missing	25.33	Monitoring ceased					37.7	36.2	42
DT34 (WA80 Bewsey Street)	360462	388501	33.5	43.87	42.84	42.57	41.74	30.65	Tube missing	42.49	26.95	24.97	24.31	25.12	34.5	33.1	92
DT36 (WA83 Crosfield Street)	360040	388406	41.74	40.97	43.4	50.29	44.29	33.82	29.18	29.71	28.25	30.38	27.9	34.21	36.2	34.8	100
DT37 (WA89 King Edward Street)	362392	389101	43.14	Tube missing	Tube missing	47.72	45.46	36.3	32.59	29.88	29.74	28.87	26.52	33.39	35.4	34.0	83
DT38 (WA107 Padgate Lane 1)	362235	389248	36.94	40.44	48.15	44.24	39.22	34.29	32.44	32.29	29.07	27.06	25.91	32.53	35.2	33.9	100

DT39 (WA108 Padgate Lane 2)	362060	389170	34.85	Tube missing	49.16	48.59	46.02	35.53	39.19	28.73	30.54	30.9	30.38	32.66	37.0	35.6	92
DT40 (WA125 Steel Street)	362131	389473	43.62	51.8	46.08	54.3	52.96	35.59	39.17	35.37	29.13	32.15	25.4	31.39	39.7	38.2	100
DT41 (WA126 Manchester Road)	362375	389033	33.71	42.1	34.57	42	38.62	28.36	36.03	Monitoring ceased					36.5	35.1	58
DT42 (WA95 Winwick Road 1)	360598	389820	37.08	36.35	38.27	42.32	38.96	44.75	29.75	26.97	26.47	26.96	25.04	27.54	33.4	32.1	100
DT43 (WA96 Winwick Road 2)	360484	390416	46.18	46.9	52.93	46.19	53.69	34.27	32.66	31.99	35.78	Erroneous data	32.19	36.52	40.8	39.3	92
DT44 (WA112 Winwick Road 3)	360434	390968	47.4	47.38	54.15	53.53	51.53	47.32	34.66	38.68	34.95	38.07	35.21	40.01	43.6	41.9	100